

Discover the New Ways

EZON Digital Door Lock lead to a new life of security and convenience.

Meet the sensitive touchpad and new entrance ways(password & smart card).



Welcome to The Ultimate Life

EZON Digital Door Lock will change family's life more stylish and convenient with a slim sensitive touchpad design and new entrance ways (password/smart card)



01 Random Security Coding

When you touch the door lock, 2 random numbers will flash on the keypad. After touching the random numbers, you can enter your own password. This innovative technology is for double security.



Touch the wake-up button

Touch the 2 random numbers

All numbers appear

Enter your password

02 Methods of Entry



Password

The 5-12 digit password can be modified anytime



Smart Card


Credit cards or other cards that contain a smart chip



RF key tag

Place a key tag that contains a Mifare ISO14443 chip on the card reader.

Structure



03 Enhanced Features

Slim, digital keypad for your convenience

Does not require opening and closing of keypad cover.

Special high-gloss coating / It has a slick lustrous and graceful frame and number pad.

Emergency external battery terminal

KS and KPS certified / Complies with quality and safety standard tests.



Electrostatic Discharge(ESD) prevention

Uses a circuit technology that can withstand high voltage electrostatic shocks for enhanced security.



Enhanced security

When an unregistered card is placed, or when an invalid password is entered in three consecutive times, an alarm sounds and the system will be automatically locked out in one minute.



Mute and button key volume control

Set the volume of the button control in four different mode



Battery replacing alarm

If an alarm that sounds like a 'Toot-' sounds when opening the door using the password or touch key, it is time to replace the batteries.

Key Type	RF Card(13.56MHz RF chip/A Type) & PIN
User Capacity (Maximum)	20 Cards / 1 PIN combination
Password combination	5~12 Digits number combination
Applicable door depth	40~60(mm)
Material	Zn, Al, ABS plastic, Tempered Glass
Humidity	20% ~ 80%
Power	DC 6V(Alkaline AA Battery 4pcs)
Battery lifetime	12 months(average of 10 uses per day)
Package size	208x260x85(mm:WxHxD)

SEOUL COMMTECH CO., LTD.

A member of Samsung

<http://www.scommtech.com>

448-11, Seongnae3-Dong, Kangdong-Ku, Seoul, Korea 134-033
Tel +82-2-2225-6709 Fax +82-2-2225-6073 E-mail sales.ezon@samsung.com

Fenton Lock & Safe, Inc
810.629.6883